


# trustone

Trustone is an extensive collection of high quality natural stone paving. Ethically sourced and hand selected for both purity of colour and dimensional accuracy, the paving is calibrated to a consistent thickness to make laying quick and easy.



Trustone, Fellstyle

Trustone Circle, Fellstyle



## trustone fellstyle

Trustone Fellstyle is a hard-wearing quartzitic sandstone, relatively consistent in both texture and colour. Its neutral light-grey colour shades make it extremely versatile; it can be used very effectively in traditional garden designs but it is equally at home in much more contemporary schemes.

Trustone, Fellstyle



## trustone fieldland

Trustone Fieldland is a highly durable quartzitic sandstone with colour shades ranging from greyish-brown to khaki. Similar in appearance to new riven English Yorkstone, Trustone Fieldland blends attractively with almost any surroundings.

Trustone Fieldland



## trustone glenmoor

A durable, gently riven quartzitic sandstone, Trustone Glenmoor comes in varying shades of buff, with occasional darker brown markings, perfect for use in a traditional setting.



Trustone, Glenmoor with Avant-garde Steps Caramel and Vintage Stone Manor Walling

video



STONEMARKET


STONEMARKET



## trustone torvale

An unusual dolomitic limestone, Torvale has a relatively consistent dark grey colour that lightens as it weathers due to its natural mineral content. It has a generally smooth texture typical of limestone while its diamond sawn edges give it a contemporary clean cut appearance.

Trustone, Torvale



## trustone cotsdale

Trustone Cotsdale is a hard and exceptionally durable dolomitic limestone in subtly graduated colour shades ranging from creamy beige to buff and light brown.

Trustone, Cotsdale and Exilis Walling, Slate Dusk

## trustone range

### trustone colours



### trustone

fieldland • glenmoor • fellstyle • torvale • cotsdale

sizes (mm)	m <sup>2</sup> per pack	no. per pack	kg per pack	colours
1140 x 570 x 22 new	19.49	30	1163	Fd, G, Fe
855 x 570 x 22	12.2	25	700	T
570 x 570 x 22	16.2	50	930	T
4 size Project Pack	15.84	*60 mixed	933	Fd, G, Fe
5 size Project Pack	11.70	**45 mixed	670	T,C

\* Fieldland, Glenmoor and Fellstyle Project Packs contain: 15 no. 855 x 570mm, 15 no. 570 x 570mm, 15 no. 570 x 285mm, 15 no. 285 x 285mm

\*\* Torvale and Cotsdale Project Packs contain: 9 no. 855 x 570mm, 8 no. 570 x 570mm, 10 no. 570 x 425mm, 10 no. 570 x 285mm, 8 no. 285 x 285mm

Thickness of paving, including circle features, calibrated to 22mm except Cotsdale which is 25mm

Sizes and coverage are those attained when laid with a 10-15mm joint  
Note the laying advice on page 145 including specific advice page 145 point (viii) for TORVALE

### trustone radius paving

	no. per circle	dia of circle (mm)	no. per pack	kg per pack	colours
Circle kit (16 pieces)	1 kit	2840	1 kit	400	Fd, G, Fe
5 piece Corner Infill	4 sets	2850 sq	4 sets	100	Fd, G, Fe

Thickness calibrated to 22mm. For dimensions see page 142



Trustone Circle, Fellstyle



For a quick no-hassle pointing system use Stonemarket Fast Point

