

# trustone

new circle  
new size

Trustone is an extensive collection of high quality natural stone paving. Ethically sourced and hand selected for both purity of colour and dimensional accuracy, the paving is calibrated to a consistent thickness to make laying quick and easy.





scan page

Trustone Circle, Fellstyle new



## trustone fellstyle

Trustone Fellstyle is a hard-wearing quartzitic sandstone, relatively consistent in both texture and colour. Its neutral light-grey colour shades make it extremely versatile; it can be used very effectively in traditional garden designs but it is equally at home in much more contemporary schemes.

Trustone, Fellstyle





## trustone fieldland

Trustone Fieldland is a highly durable quartzitic sandstone with colour shades ranging from greyish-brown to khaki. Similar in appearance to new riven English Yorkstone, Trustone Fieldland blends attractively with almost any surroundings.


Trustone Fieldland showing new 1140 x 570mm size



scan page

## trustone glenmoor

A durable, gently riven quartzitic sandstone, Trustone Glenmoor comes in varying shades of buff, with occasional darker brown markings, perfect for use in a traditional setting.



video

Trustone, Glenmoor with Avant-garde Steps Caramel and Vintage Stone Manor Walling





## trustone torvale

An unusual dolomitic limestone, Torvale has a relatively consistent dark grey colour that lightens as it weathers due to its natural mineral content. It has a generally smooth texture typical of limestone while its diamond sawn edges give it a contemporary clean cut appearance.



# trustone cotsdale

Trustone Cotsdale is a hard and exceptionally durable dolomitic limestone in subtly graduated colour shades ranging from creamy beige to buff and light brown.



Trustone, Cotsdale and Exilis Walling, Slate Dusk

## trustone range

### trustone colours



### trustone <sup>new size</sup>

fieldland • glenmoor • fellstyle • torvale • cotsdale

sizes (mm)	m <sup>2</sup> per pack	no. per pack	kg per pack	colours
1140 x 570 x 22 <sup>new</sup>	19.49	30	1163	Fd, G, Fe
855 x 570 x 22	12.2	25	700	T
570 x 570 x 22	16.2	50	930	T
4 size Project Pack	15.84	*60 mixed	933	Fd, G, Fe
5 size Project Pack	11.70	**45 mixed	670	T, C

\* Fieldland, Glenmoor and Fellstyle Project Packs contain: 15 no. 855 x 570mm, 15 no. 570 x 570mm, 15 no. 570 x 285mm, 15 no. 285 x 285mm

\*\* Torvale and Cotsdale Project Packs contain: 9 no. 855 x 570mm, 8 no. 570 x 570mm, 10 no. 570 x 425mm, 10 no. 570 x 285mm, 8 no. 285 x 285mm

Thickness of paving, including circle features, calibrated to 22mm except Cotsdale which is 25mm

Sizes and coverage are those attained when laid with a 10-15mm joint

Note the laying advice on page 148 including specific advice page 149 point (viii) for TORVALE

### trustone radius paving <sup>new</sup>

	no. per circle	dia of circle (mm)	no. per pack	kg per pack	colours
Circle kit (16 pieces)	1 kit	2840	1 kit	400	Fd, G, Fe
5 piece Corner Infill	4 sets	2850 sq	4 sets	100	Fd, G, Fe

Thickness calibrated to 22mm. For dimensions see page 147



Trustone Circle, Fellstyle



For a quick no-hassle pointing system use Stonemarket Fast Point

