



STONEMARKET



introducing the
next generation of paving:

millstone NEXTpave
yorkstone NEXTpave



NEXTpave

Stonemarket proudly introduces NEXTpave; a next generation of the popular Millstone and Yorkstone paving ranges. Innovated to feature a patented base design enabling the paving to be laid on either a sand screed bed or on a traditional mortar bed without losing the well loved character of the stone. Choose to install using the new screed bed option to reduce installation time or keep to the traditional mortar bed option and take full advantage of the automatically generated, uniform joints.

For exceptional results we recommend the use of Stonemarket edgings and completing with Fast Point jointing compound. Round off your project with a choice of driveway products incorporating the same patented base design.



why have a patented base design?

for quick automatic, uniform joints

to ensure a secure
connection from one unit to the next

to reduce installation time

to make sure the correct amount of
fast point is used for optimum performance

NEXTpave choices

yorkstone ^{new} NEXTpave

Yorkstone NEXTpave replicates newly quarried English stone and includes coordinating edgings, circles and stepping stones. The paving has been reengineered with a patented base design to reduce installation time by enabling laying on either a sand screed bed or on a conventional mortar bed; easily achieving perfect uniform joints.




Yorkstone NEXTpave, York Buff



Millstone NEXTpave, Olde London

millstone ^{new} NEXTpave

Stonemarket proudly introduces Millstone NEXTpave, the next generation of Millstone paving. Whilst retaining all the well-loved character of the paving, Millstone NEXTpave has a patented base design enabling the paving to be laid on either a sand screed bed, which can reduce installation time, or on a traditional mortar bed allowing easy to achieve perfect uniform joints.



yorkstone NEXTpave

sizes (mm)	m ² per pack	no. per pack	kg per pack	no. per project pack	colours
600 x 600 x 38	8.64	22	663	8	all
600 x 300 x 38	8.64	44	663	10	all
300 x 300 x 38	4.32	44	332	4	all
450 x 450 x 38	9.72	44	745	-	all
Project Pack	5	22 mixed	425	as above	all



Weathered Ochre

yorkstone NEXTpave circle

	dia of circle	no. per pack	kg per pack	colours
Circle Kit	2440	1 kit (25 pcs)	364	all
Squaring off Kit	2700sq	1 kit (16 pcs)	194	all

Thickness 38mm.



Yorkstone NEXTpave Circle, York Buff

millstone NEXTpave

sizes (mm)	m ² per pack	no. per pack	kg per pack	no. per project pack	colours
915 x 610 x 38	12.3	22	1027	6	all
610 x 610 x 38	8.2	22	685	12	all
610 x 458 x 38	8.2	22	514	-	all
458 x 458 x 38	9.2	44	772	-	all
610 x 305 x 38	8.2	44	685	6	all
458 x 305 x 38	6.1	44	514	-	all
305 x 305 x 38	4.1	44	343	12	all
Project Pack	10	36 mixed	842	as above	all



Olde London

millstone NEXTpave circle

	dia. of circle	no. per pack	kg per pack	colours
Circle Kit	1830	1 kit (20 pcs)	220	all
Squaring off Kit		1 kit (16 pcs)	117	all

Thickness 38mm



Millstone NEXTpave Circle, Honey Gold

NEXTpave installation choices

time-saving sand screed installation



1. Install your choice of edge restraint on a concrete footing around the perimeter of the patio



2. Prepare the ground as normal with compacted hardcore, achieving the correct falls for drainage



3. Screed out a 30-40mm sharp sand bed



4. Install the engineered NEXTpave using the laying pattern



5. Make a solid connection when laying the NEXTpave to ensure a perfect uniform joint



6. Brush in Stonemarket FastPoint following the instructions on the tub, using plenty of water



conventional mortar installation



1. Install your choice of edge restraint on a concrete footing around the perimeter of the patio



2. Prepare the ground as normal with compacted hardcore, achieving the correct falls for drainage



3. Install the engineered NEXTpave flags onto a full bed of mortar; 1 part cement to 5 parts building sand.




4. Install the engineered NEXTpave using the laying pattern



5. Make a solid connection when laying the NEXTpave to ensure a perfect uniform joint



6. After 24 hours brush in Stonemarket FastPoint following the instructions on the tub, using plenty of water



NEXTpave edge restraint choices



ampliar roundtop edging ^{new}

The perfect edge restraint for any of Stonemarket's system installations. Ampliar Roundtop Edging can be used with Templeton Driveway Setts, Millstone Driveway Setts, Millstone NEXTpave and Yorkstone NEXTpave as well as the rest of the Stonemarket driveway range. Available in the contemporary colour, Vienna and 915mm length this product aids correct conduct of installation with complementary design.




ampliar roundtop edging

colour option • Vienna

sizes (mm)	linear metres per pack	no. per pack	kg per pack
915 x 175 x 60	36.6	40	749

victorian edgings

Victorian Edging provides the perfect edge restraint whilst contrasting beautifully with Millstone NEXTpave. Available in double rope top and corner posts these authentically reproduced edgings have been specially treated to replicate the metallic clay appearance of original Victorian and Edwardian edgings.



victorian edgings

colours options • Midnight Blue • Clay Red

	Sizes (mm)	no. per pack	kg per pack	colours
Double Rope Top	465 x 170	52	240	all
Corner Post	45 x 280	120	160	all

yorkstone scalloped edging

Yorkstone Scalloped Edgings coordinate perfectly with Yorkstone NEXTpave at the same time as offering a suitable edge restraint. The fettled top edge and rough hewn sculptured characteristics provides extra detail, complementing any surrounding planting.



yorkstone scalloped edging

colours options • Weathered Bronze • York Buff

sizes (mm)	no. per pack	kg per pack	colours
590 x 150 x 45	60	500	all

don't forget fastpoint



1. The paving is soaked with a hose. Keep wet throughout process to avoid any temporary staining



2. The tub and sealed bag are opened.



3. The Fast Point jointing is poured onto the paving after soaking



4. The material is brushed into the joints ensuring the joint voids are full



5. Any excess is carefully brushed off. Particles left on the paving may leave a speckled finish.



6. The joints are struck off using a pointing iron. Any gaps that are revealed, re fill with Fast Point

NEXTpave must do's

- Always use a suitable edge restraint, that is laid on a concrete footing and haunched.
- Ensure a solid connection is made when butting up the flags to ensure a perfect uniformed joint.
- NEXTpave must always be installed using Stonemarket's Fast Point jointing compound.
- Saturate paving whilst brushing in Fast Point with a stiff brush.
- Always wash off excess Fast Point using a light spray and soft brush. Failure to do so may result in difficulty removing excess Fast Point once the curing process commences.



complete the look...

templeton driveway setts

millstone driveway setts

Coordinate the new NEXTpave with either Millstone Driveway Setts or Templeton Driveway Setts from the Stonemarket Driveway selection. The two ranges have been specifically engineered for a quick and straight forward installation and feature the same patented base design.

Millstone Driveway Setts have the distinct character and charm of original cobblestones whilst Templeton Driveway Setts provide smooth lines and a sophisticated, more contemporary feel. Each pack comes with the right amount of jointing compound and a choice of colours.



specifically engineered driveway system

stunning finishes


jointing compound included

patented contoured base

fast flexible installation

authentic character of natural stone

driveway choices



Templeton Driveway Setts, Vienna

templeton driveway setts

Templeton Driveway Setts provide smooth lines and a sophisticated, more contemporary feel.

colour options • Vienna • Arrezo

sizes (mm)	m ² per pack	no. per pack	kg per pack	colours
5 size Project Pack	7.21	*224 mixed	930	all

*Project pack contains: 80 no. 220 x 160 x 60mm, 32 no. 200 x 160 x 60mm, 64 no. 180 x 160 x 60mm, 16 no. 160 x 160 x 60mm, 32 no. 120 x 160 x 60mm


Each pack comes with the appropriate quantity of ready-mixed Driveway Jointing Compound. Laying advice must be followed.



Vienna



Arrezo



Millstone Driveway Setts, Vienna

millstone driveway setts

Millstone Driveway Setts have the distinct character and charm of original cobblestones.

millstone driveway setts

colour options • Alsace • Bruges • Vienna

sizes (mm)	m ² per pack	no. per pack	kg per pack	colours
5 size Project Pack	8.28	*357 mixed	955	all

*Project Packs contain blocks of 215 x 130 x 60mm, 185 x 130 x 60mm, 165 x 130 x 60mm, 145 x 130 x 60mm, 130 x 130 x 60mm but pack ratios may vary. Contact the sales office for more information.

Each pack comes with the right amount of ready-mixed Driveway Jointing Compound. Laying advice must be followed.



Vienna



Alsace



Bruges

driveway installation

templeton and millstone driveway setts installation



1. Install your choice of edge restraint on a concrete footing around the perimeter of the driveway



2. Prepare the ground as normal with compacted hardcore, achieving the correct falls for drainage



3. Screed out a 30mm sharp sand bed




4. Install the engineered Templeton or Millstone Driveway Setts



5. Make a solid connection when laying the blocks to ensure a perfect uniform joint



6. Brush in Stonemarket Driveway Jointing Compound following the instructions on the tub, using plenty of water



driveway edge restraint choices



ampliar roundtop edging ^{new}

The perfect edge restraint for any of Stonemarket's system installations, Ampliar Roundtop Edging is perfect for use with Templeton Driveway Setts and Millstone Driveway Setts, as well as the rest of the Stonemarket driveway range.

ampliar roundtop edging

colour option • Vienna

sizes (mm)	linear metres per pack	no. per pack	kg per pack
915 x 175 x 60	36.6	40	749

rio driveway edging ^{new}

Granite look, premium driveway edging, Rio Driveway Edging combines the appearance of granite aggregate with precision manufacturing further enhanced by a secondary shot texturing process. Providing a contrasting look on Millstone and Templeton driveways. Available in two colours; Silver and Grey.

rio driveway edging

colour options • Silver • Grey

sizes (mm)	linear metres	no. per pack	kg per pack	colours
915 x 175 x 60	54.9	48	1119	all

trident kerb

Trident Driveway Kerbs offer a distressed traditional look. They provide perfect edge restraints for both Millstone Driveway Setts and Templeton Driveway Setts

trident kerbs

colour option • Charcoal

types and sizes	linear metres	no. per pack	kg per pack
KL Straight 100 x 125 x 200	21.6	216	1100
KS Straight 100 x 125 x 125	32.4	324	1020

pavekerb

Pavekerb promote smoother lines and a more contemporary feel; suitable for use with Templeton Driveway Setts. Available in Charcoal in a range of sizes and configurations

pavekerb

colour option • Charcoal
Please see our website for the full range





STONEMARKET

Oxford Road, Ryton on Dunsmore, Warwickshire, CV8 3EJ
Tel: 0345 302 0603 Fax: 0345 302 0605

Road Meetings, Carlisle, Scotland, ML8 4QG
Tel: 0345 304 0703 Fax: 0345 302 0706

(calls may be monitored or recorded)
Email: sales@stonemarket.co.uk

www.stonemarket.co.uk